

AMENDMENT TO RULES COMMITTEE PRINT 119–**8****OFFERED BY MR. COURTNEY OF CONNECTICUT**

At the appropriate place in subtitle B of title XXVIII, insert the following:

1 **SEC. 28___.** **RADON TESTING OF MILITARY HOUSING**
2 **OWNED OR CONTROLLED BY THE FEDERAL**
3 **GOVERNMENT.**

4 (a) REPORT.—Not later than one year after the date
5 of the enactment of this Act, the Secretary of Defense
6 shall submit to the congressional defense committees a re-
7 port identifying military housing owned or operated by the
8 Federal Government that should be monitored for levels
9 of radon at or above the action level established by the
10 Environmental Protection Agency, including military
11 housing located on military installations evaluated in the
12 report dated April 30, 2020, titled “Evaluation of the
13 DoD’s Management of Health and Safety Hazards in Gov-
14 ernment-Owned and Government-Controlled Military
15 Family Housing” (DODIG–2020–082).

16 (b) TESTING PROCEDURES AND STANDARDS.—Each
17 Secretary of a military department shall establish proce-
18 dures at military installations identified under subsection

1 (a) under the jurisdiction of such Secretary for testing for
2 radon in such housing that are consistent with current na-
3 tional consensus standards and are in compliance with ap-
4 plicable Federal regulations in order to ensure radon levels
5 at such housing are below recommended levels established
6 by the Environmental Protection Agency—

7 (1) by testing—

8 (A) at least one time every five years for
9 military housing; or

10 (B) at least one time every two years for
11 housing that is above recommended radon levels
12 established by the Environmental Protection
13 Agency until radon levels are reduced to at or
14 below such levels; or

15 (2) through the installation of monitoring
16 equipment in such housing.

17 (c) NOTIFICATION REGARDING NEED FOR MITIGA-
18 TION.—If, as a result of testing described in subsection
19 (b), a unit of military housing owned or controlled by the
20 Federal Government requires radon mitigation to ensure
21 radon levels are below recommended levels established by
22 the Environmental Protection Agency, the head of the
23 military installation on which such military housing is lo-
24 cated shall submit to the Secretary of the military depart-
25 ment concerned, not later than seven days after the deter-

- 1 mination of the need for radon mitigation, a mitigation
- 2 plan for the housing unit.

