## AMENDMENT TO THE RULES COMMITTEE PRINT FOR H.R. 5303

OFFERED BY MR. PETERSON OF MINNESOTA

At the end of title I, add the following:

## 1 SEC. \_\_\_\_\_. RESPONSIBILITY FOR THE TIMELY COMPLE 2 TION OF FLOOD CONTROL PROJECTS.

3 (a) IN GENERAL.—The Secretary shall reimburse a
4 Federal flood insurance policy holder for any excessive
5 flood insurance policy premiums plus interest that were
6 paid by such policy holder on or after the date on which
7 the policy holder was mapped into a higher risk area if—

8 (1) the Corps of Engineers failed to certify a
9 flood control project in a timely manner as described
10 under subsection (b); and

(2) the failure to certify such project contributed to the policy holder being mapped into such
higher risk area.

(b) TIMELY COMPLETION.—A flood control project is
certified in a timely manner if such project is completed
and certified not later than 1 year after the expected completion date of such project, as projected by the Corps of
Engineers at the time of the commencement of construction.

 $\mathbf{2}$ 

(c) ELIGIBILITY.—A Federal flood insurance policy
 holder is eligible for the reimbursement under subsection
 (a) if—

4 (1) the policy holder was protected by a cer5 tified or uncertified Corps of Engineers flood control
6 structure; and

7 (2) after the certification of the flood control 8 structure and the remapping of the area, flood in-9 surance is either no longer required by a mortgage 10 lender or the level of insurance required is reduced. 11 (d) Definition of Excessive Flood Insurance PREMIUMS.—The term "excessive flood insurance pre-12 miums" means the difference in the amount of the pre-13 miums a policy holder is required to pay to a mortgage 14 15 lender under a flood insurance map—

16 (1) with a certified flood control structure; and17 (2) without such structure.

(e) COST OF REIMBURSEMENT.—The cost of reimbursing policy holders shall come from funds made available for Department Administration for the Office of the
Secretary.

 $\times$