

**AMENDMENT TO RULES COMMITTEE PRINT 117–**

**54**

**OFFERED BY MS. TLAIB OF MICHIGAN**

At the end of subtitle G of title XXVIII, insert the following:

1 **SEC. 28\_\_\_ . REPORTING ON LEAD SERVICE LINES AND**  
2 **LEAD PLUMBING.**

3 (a) INITIAL REPORT.—Not later than one year after  
4 the date of the enactment of this Act, the Under Secretary  
5 of Defense for Acquisition and Sustainment shall submit  
6 to the congressional defense committees a report that in-  
7 cludes—

8 (1) a description of the state of lead service  
9 lines and lead plumbing on military installations,  
10 military housing, and privatized military housing;

11 (2) an evaluation of whether military installa-  
12 tions, military housing, and privatized military hous-  
13 ing are in compliance with the standards established  
14 in the Lead and Copper rule and, if not, an identi-  
15 fication of the areas of non-compliance; and

16 (3) an identification of steps and resources  
17 needed to remove remaining lead service lines and  
18 lead plumbing in military installations and housing.

1 (b) INCLUSION OF INFORMATION IN ANNUAL RE-  
2 PORT.—The Secretary shall include in the Defense Envi-  
3 ronmental Programs annual report for each year after the  
4 year in which the initial report is submitted information  
5 on the compliance of Department of Defense facilities and  
6 housing with the Lead and Copper Rule.

